

*Rapid***Wire**[™]

Partitions

A Welded Wire Solution.



WireCrafters[®]

Introducing RapidWire™ Partitions

WIRECRAFTERS® with its 46 years of engineering expertise has designed the RapidWire™ system of welded wire partitions. The RapidWire system uses a modular design which allows for the unique combinations of standard parts to meet your specific requirements, three basic components of the system, panels, posts, and a complement of door styles provide the flexibility to design and install any type of security enclosure. For added security, a RapidWire ceiling may be added to the enclosure. Attached to the wall panels and upright posts, ceilings can be provided with clear spans of up to 20 feet.


STRONG: Additional rigidity is provided by two 1-1/4" x 1-1/4" x 13 steel angles welded along the length of each panel. When installed the panels are completely framed in place.

VERSATILE: Due to the strength of its welded wire mesh construction, RapidWire panels can be field-modified and still have that factory finished look. With RapidWire's universal panel attachment, matching hole layouts after field modifications is not an issue.

VISUAL APPEAL...a pleasing appearance. The clean straight lines and symmetrical pattern of the welded wire mesh panel offers a modern, contemporary look.

SECURITY: By the nature of its welded wire design, the RapidWire partition system provides an unparalleled level of security. Strong 2" x 2" x 14 gauge posts support the system. Panels securely attach to posts with a clamp system and tec screws. Once installed panels are completely framed in place. Hardware, contained within the structure, can not be easily defeated. Panels are made of 10 and 8 gauge wires welded into a 1-1/4" x 1-1/4" x 13 steel angle. Each panel is securely fastened to the posts with an engineered fastening system that enhances the system's integrity.

FAST INSTALLATION: RapidWire with its modular design and engineered fastening system can be installed in 20 to 25% less time when compared to competing products.



Partition Specs

FINISH: The RapidWire system undergoes a thorough finishing process which includes shot blasting to remove any scaly residue, and painted; posts yellow, panels black. Other colors and Powder Coating are options.

PANELS: 8 and 10 gauge wires are welded at each intersection to provide mesh patterns of 1-1/4" x 3", 5/8" x 3" or 2" x 2". Each panel is finished with two 1-1/4" x 1-1/4" x 13 gauge roll formed angles welded along its length. This design allows for the stacking of panels to the desired structure's height. Panels are completely framed in place when connected to posts.

POSTS: 2" x 2" x 14 gauge tubing is furnished with a 2" x 7" x 1/4" baseplate welded at its end. Standard heights are 8', 10' and 12', other heights available.

DOORS-HINGED: Welded wire mesh consistent with the panel mesh is utilized in the door's design. Doors can be hinged either right or left with both swings of in or out. Clear height of all doors is 2" less than that of the systems height. Doors are framed in 1-1/4" x 1-1/4" x 13 gauge angle.

DOORS-SLIDING: Welded wire mesh consistent with the panel mesh is utilized to manufacture sliding doors. Single sliding doors are furnished with the patented tamper-resistant sliding door receiver. Paired sliding doors also available. All sliding doors are framed in 1-1/4" x 1-1/4" x 13 gauge angle.

DOORS-TUNNEL: Welded wire mesh consistent with the panel mesh is utilized to manufacture Tunnel type sliding doors. Tunnel doors provide clear overhead access to secure areas by supporting door's leading edge with floor casters and the rear of the door supported by sliding door track mounted to the system's posts. All tunnel doors are framed in 1-1/4" x 1-1/4" x 13 gauge angle.


DOORS-DUTCH: Welded wire mesh consistent with the panel mesh is utilized to manufacture hinged Dutch type doors. Clear height of all Dutch style doors is 94" while systems taller than 8' will be furnished with a transom panels to close off the open space above the door. All dutch doors are framed in 1-1/4" x 1-1/4" x 13 gauge angle.

DOOR LOCKS: All doors are furnished with a padlock hasp; standard built-in cylinder locks are available. Also available as options are various lever/knob styles, coded entry/ push lever, panic bars, coded card readers, numerical key pads, magnetic style locks and electric strikes. Also available as an option is keyed alike locks, Master keyed locks, Best cylinders less core and any 1" mortised cylinder.

HARDWARE: All hardware needed for installation, including floor anchors is furnished as standard.

WARRANTY: Five (5) years. Consult specific limited warranty statement.

STOCK ITEMS: available for shipment within 48 hours.



Style 840

Partitions

A Woven Wire Solution.



STACKABLE PANELS

840 Partition Specs

THE PROVEN STYLE OF TODAY'S WIRE PARTITION

For over 46 years, Wire Crafters has manufactured what we feel is the "Very Best Woven Wire Partition." Contrary to traditional systems, our Style 840 is based on the simple idea that panels stack one on top of the other between tubular posts to reach the finished partition height. This all-welded, modular, stackable system has benefits unequaled in the industry.

The Style 840 Solution

• MODULAR DESIGN

Three basic panels coupled with the systems design and the flexibility to easily alter in the field allow for infinite combinations to solve your safety and security issues.

• STRONG

Panels bolt directly to support posts. Standard 3/8" wedge anchors hold partition system firmly in place. Base plates welded on posts allow direct floor anchoring.

• SECURE

Application and product matched hardware provides the level of security that you expect.

• FAST INSTALLATION

Fewer parts than conventional systems, RapidWire's design provides an ease of installation that provides a lower total cost of ownership!

• CLEAN DESIGN

Rapid Wires welded wire panels provide a clean consistent look.


• FLEXIBLE

Modular design provides the flexibility required to stay abreast of ever changing organizational needs.


Stock items are available for shipment within 48 hours of your order.



ADJUSTABLE PANEL



BASE PLATE
DETAIL



CORNER POST
OUTSIDE
VIEW



RUN POST INSIDE
VIEW



TEE POST INSIDE
VIEW

6208 Strawberry Lane
Louisville, KY 40214
800-626-1816
www.wirecrafters.com



WireCrafters®